

L Number	Hits	Search Text	DB	Time stamp
1	1	5930460.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 14: 12
-	1	"20020019679"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 15: 05
-	4	work adj standard adj creation	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/14 15: 34
-	163941	manufactur\$3 adj process	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 14: 18
-	7	(manufactur\$3 adj process) with (work adj unit)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 14: 20
-	5	(manufactur\$3 adj process) with (work adj standard)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 14: 23
-	18	(manufactur\$3 adj process) and (work adj standard)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 14: 30
-	1	"5969973".PN.	USPAT; US-PGPUB	2003/06/03 14: 26
-	1	"5642291".PN.	USPAT; US-PGPUB	2003/06/03 14: 27
-	1	"5586224".PN.	USPAT; US-PGPUB	2003/06/03 14: 28
-	1	"5519814".PN.	USPAT; US-PGPUB	2003/06/03 14: 28
-	1	"5006999".PN.	USPAT; US-PGPUB	2003/06/03 14: 28
-	1	"5345540".PN.	USPAT; US-PGPUB	2003/06/03 14: 28
-	7	work adj assignment adj system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 14: 38
-	26	(assembly adj process) and (work adj (unit standard))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 14: 40
-	155	704/4.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 08: 37
-	29	704/4.ccls. and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 13: 55
-	41	(704/7.ccls.) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09: 20
-	53	(704/8.ccls.) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 15: 06
-	1	("6314469").PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 08: 57
-	121	345/705.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09: 00
-	21	345/705.ccls. and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 08: 57

-	10	345/714.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:03
-	54	provid\$3 adj instruction\$3 adj information	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:15
-	6	(work adj standard) and (assembly adj process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:16
-	24	(work adj unit) and (assembly adj process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:19
-	53	(work adj unit) and (manufactur\$3 adj process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:22
-	11	((work adj unit) and (manufactur\$3 adj process)) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 09:26
-	18	(work adj standard) and (manufactur\$3 adj process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:26
-	164253	(manufactur\$3 adj process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:04
-	10432	((manufactur\$3 adj process)) and translat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:33
-	22	((manufactur\$3 adj process)) and translat\$3 and (foreign adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:54
-	851	assembly adj instruction	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 11:26
-	142	(assembly adj instruction) and (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:56
-	81	((assembly adj instruction) and (database or (data adj base))) and language	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:56
-	31	((assembly adj instruction) and (database or (data adj base))) and language) and @riad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 09:56
-	6	product adj assembly adj instruction	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 11:27
-	2	(assembly adj instruction) and (foreign adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 11:27
-	2	(assembly adj instruction) and (foreign\$3 adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 11:27
-	2	(assembly adj instruction) and (multiple adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 11:28
-	307	700/95.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 11:28

-	177	700/95.icls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 11:28
-	43	700/95.ccls. and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 11:38
-	2	"6240328"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 12:01
-	1	"5341304".PN.	USPAT; US-PGPUB	2003/06/05 11:41
-	1	"5241482".PN.	USPAT; US-PGPUB	2003/06/05 11:41
-	1	"5148370".PN.	USPAT; US-PGPUB	2003/06/05 11:41
-	1	"5089970".PN.	USPAT; US-PGPUB	2003/06/05 11:43
-	1	"5014208".PN.	USPAT; US-PGPUB	2003/06/05 11:43
-	1	"4887218".PN.	USPAT; US-PGPUB	2003/06/05 11:44
-	2	08/038,577	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 12:08
-	14	"5586039"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:32
-	1	5880974.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:32
-	27028	part with component with system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:35
-	10444	(part with component with system) and assembly	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:35
-	52	(part with component with system) and (assembly adj instruction)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:37
-	28	((part with component with system) and (assembly adj instruction)) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:39
-	641	(part with component with system) and (assembly with product)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:38
-	0	((part with component with system) and (assembly with product)) and traslat\$3 and language	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:38
-	81	((part with component with system) and (assembly with product)) and translat\$3 and language	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:38
-	24	((part with component with system) and (assembly with product)) and translat\$3 and language) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:53
-	1	"20020052890"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 13:55
-	100	(display\$3 with toolbar) with (cursor pointer)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14:11

-	1	open adj2 new adj window adj2 minimized	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14: 13
-	2	(open adj2 new adj window) with minimized	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14: 16
-	1	google adj toolbar	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14: 22
-	3	(html and navigation).ti.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14: 23
-	8	(open adj window) adj5 minimized	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14: 31
-	22	mouseover and (hyperlink)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14: 31
-	66	mouseover	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14: 47
-	17	mouseover and @rlad<= "20000504"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 15: 39
-	111	mouseover or onmouseover	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 14: 47
-	28	(mouseover or onmouseover) and @rlad<= "20000504"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 15: 35
-	48	anchor adj page	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 15: 39
-	15	(anchor adj page) and @rlad<= "20000504"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/05 15: 39
-	740	assembly adj manual	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 30
-	0	(assembly adj manual) and dictionary and translat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 31
-	88	(assembly adj manual) and translat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 31
-	23	((assembly adj manual) and translat\$3) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 38
-	516	part and component and system and (assembl\$3 adj instruction)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 38
-	1	(part and component and system and (assembl\$3 adj instruction)) and (foreign adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 37
-	4	assembly adj instruction adj system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 50

-	176	(part and component and system and (assembly adj instruction)) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 53
-	0	multimedia with (assembly adj instruction)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 51
-	7	multimedia same (assembly adj instruction)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 52
-	38	multimedia and (assembly adj instruction)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 54
-	18	(multimedia and (assembly adj instruction)) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 54
-	528	work adj standard	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 54
-	0	(work adj standard) and (assembly adj instruction)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 54
-	153	(work adj standard) and assembly	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 09: 54
-	45	((work adj standard) and assembly) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 10: 50
-	1	(assembly adj planning adj process) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 10: 51
-	15	(assembly adj planning) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 10: 56
-	10	"5442563"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 10: 56
-	16	(US-5023800-\$ or US-6240328-\$ or US-6292715-\$ or US-5396432-\$ or US-6167406-\$ or US-5442563-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$).did. or (US-20020002516-\$ or US-20020123812-\$ or US-20020174263-\$ or US-20030011629-\$ or US-20010043237-\$ or US-20030023611-\$).did.	USPAT; US-PGPUB	2003/06/09 11: 57
-	2	((US-5023800-\$ or US-6240328-\$ or US-6292715-\$ or US-5396432-\$ or US-6167406-\$ or US-5442563-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$).did. or (US-20020002516-\$ or US-20020123812-\$ or US-20020174263-\$ or US-20030011629-\$ or US-20010043237-\$ or US-20030023611-\$).did.) and voice	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 11: 58
-	5	((US-5023800-\$ or US-6240328-\$ or US-6292715-\$ or US-5396432-\$ or US-6167406-\$ or US-5442563-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$).did. or (US-20020002516-\$ or US-20020123812-\$ or US-20020174263-\$ or US-20030011629-\$ or US-20010043237-\$ or US-20030023611-\$).did.) and (sound audio)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 12: 11
-	4	assembly adj standard adj information	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 12: 12
-	1180	assembly adj standard	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 12: 13
-	9	(assembly adj standard) and (assembly adj (manual instruction))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 12: 15

-	1	(assembly adj (instruction manual)) and (translat\$3) and (foreign adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 12:19
-	5	(assembly adj (process)) and (translat\$3) and (foreign adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/09 12:20
-	1623	assembly adj sequenc\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:01
-	164491	(manufactur\$3 adj process)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:05
-	138	(assembly adj sequenc\$3) and ((manufactur\$3 adj process))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:05
-	1	13. and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:59
-	41	((assembly adj sequenc\$3) and ((manufactur\$3 adj process))) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:05
-	16	(US-5023800-\$ or US-6240328-\$ or US-6292715-\$ or US-5396432-\$ or US-6167406-\$ or US-5442563-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$).did. or (US-20020002516-\$ or US-20020123812-\$ or US-20020174263-\$ or US-20030011629-\$ or US-20010043237-\$ or US-20030023611-\$).did.	USPAT; US-PGPUB	2003/06/10 10:08
-	11	((US-5023800-\$ or US-6240328-\$ or US-6292715-\$ or US-5396432-\$ or US-6167406-\$ or US-5442563-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$).did. or (US-20020002516-\$ or US-20020123812-\$ or US-20020174263-\$ or US-20030011629-\$ or US-20010043237-\$ or US-20030023611-\$).did.) and first and second and third	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:08
-	1	6240328.URPN.	USPAT	2003/06/10 10:10
-	8	("4887218" "4896269" "5014208" "5088045" "5089970" "5148370" "5241482" "5341304").PN.	USPAT	2003/06/10 10:11
-	1561	maintenance adj program	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:41
-	443	(maintenance adj program) and assembly	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:41
-	112	((maintenance adj program) and assembly) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:43
-	8311	assembly adj work	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:44
-	668	(assembly adj work) and model	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:44
-	394	((assembly adj work) and model) and manufactur\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:44
-	11	((assembly adj work) and model) and manufactur\$3) and hierarchical	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:59
-	3	5771043.URPN.	USPAT	2003/06/10 10:54
-	3	5771043.URPN.	USPAT	2003/06/10 10:58
-	122	345/705.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 10:59

-	22	345/705.ccls. and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 11:08
-	52	(product adj assembl\$3).ti.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 11:08
-	2	((product adj assembl\$3).ti.) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/10 11:08
-	0	(user adj manual) with (foreign adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 15:06
-	55	(user adj manual) and (foreign adj language)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 15:06
-	19	((user adj manual) and (foreign adj language)) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/14 15:35
-	123	manufacturing adj aids	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 15:28
-	30	(manufacturing adj aids) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 16:23
-	1	4845634.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/11 16:23
-	21	((US-6167406-\$ or US-5396432-\$ or US-5442563-\$ or US-5023800-\$ or US-6292715-\$ or US-6240328-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$ or US-5109337-\$ or US-5771043-\$ or US-6392670-\$ or US-6163785-\$ or US-6208956-\$).did. or (US-20020002516-\$ or US-20030011629-\$ or US-20020174263-\$ or US-20020123812-\$ or US-20010043237-\$ or US-20030023611-\$).did.	USPAT; US-PGPUB	2003/06/12 11:03
-	5	((US-6167406-\$ or US-5396432-\$ or US-5442563-\$ or US-5023800-\$ or US-6292715-\$ or US-6240328-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$ or US-5109337-\$ or US-5771043-\$ or US-6392670-\$ or US-6163785-\$ or US-6208956-\$).did. or (US-20020002516-\$ or US-20030011629-\$ or US-20020174263-\$ or US-20020123812-\$ or US-20010043237-\$ or US-20030023611-\$).did.) and voice	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 12:11
-	10	((US-6167406-\$ or US-5396432-\$ or US-5442563-\$ or US-5023800-\$ or US-6292715-\$ or US-6240328-\$ or US-6434438-\$ or US-6223092-\$ or US-5980084-\$ or US-5905501-\$ or US-5109337-\$ or US-5771043-\$ or US-6392670-\$ or US-6163785-\$ or US-6208956-\$).did. or (US-20020002516-\$ or US-20030011629-\$ or US-20020174263-\$ or US-20020123812-\$ or US-20010043237-\$ or US-20030023611-\$).did.) and transl\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 12:15
-	0	multilingual adj document	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 12:15
-	40	multilingual adj document	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 12:15
-	7	(multilingual adj document) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 12:16
-	1	6526397.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/12 15:58
-	0	telephone adj number adj port\$3 adj assignment	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/13 10:20

-	24	345/731.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/14 13:51
-	134	345/705.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/14 14:07
-	43	("4495491" "4517660" "4528561" "4616336" "4899292" "5049862" "5055998" "5093907" "5095429" "5142669" "5146592" "5220649" "5231577" "5231578" "5231698" "5245702" "5371675" "5390295" "5398310" "5416895" "5428733" "5434965" "5459488" "5559942" "5577188" "5579471" "5581681" "5581682" "5594641" "5596700" "5625833" "5634095" "5651107" "5680636" "5805163" "5845288" "5893126" "5896131" "5953735" "6041335" "6178431" "6230169" "6230170").PN.	USPAT	2003/11/14 13:57
-	286	704/8.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/14 14:07
-	235	704/8.ccls. and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/14 15:02
-	44	5677835.URPN.	USPAT	2003/11/14 14:49
-	10	("4661924" "4771401" "4821230" "4829423" "4954984" "5175684" "5225981" "5243519" "5677835" "5995920").PN.	USPAT	2003/11/14 14:56
-	6771	(first adj character) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 09:46
-	583378	((first adj character) adj 345/705.ccls. word) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/14 15:03
-	316	((first adj character) adj2 word) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/14 15:21
-	14	(sentence adj build\$3) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/17 09:23
-	4	work adj standard adj creation	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/14 15:34
-	21	((user adj manual) and (foreign adj language)) and @rlad<=20000106	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/17 09:22
-	335	700/95.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/17 09:22
-	223	700/95.ccls. and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/17 09:56
-	6	("4910795" "4947028" "5805465" "5864482" "6169934" "6349238").PN.	USPAT	2003/11/17 09:38
-	667	(assembly adj manual) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/17 10:01
-	667	("assembly manual") and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/17 10:01
-	712	("assembly instruction") and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/17 12:44
-	35	(suggested adj word) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/17 13:45

-	14	("4558302" "4814746" "4955066" "4969097" "5109433" "5261091" "5367453" "5734749" "5761689" "5805911" "5845300" "5896321" "5900004" "5926811").PN.	USPAT	2003/11/17 12:57
-	3	5896321.URPN.	USPAT	2003/11/17 13:00
-	8	5845300.URPN.	USPAT	2003/11/17 13:02
-	0	6564213.URPN.	USPAT	2003/11/17 13:03
-	26	("5675819" "5826240" "5845300" "5864805" "5897622" "5995928" "6006225" "6029141" "6144958" "6169986" "6185558" "6208339" "6223059" "6230173" "6266665" "6307549" "6370527" "6374241" "6377965" "6392640" "6401084" "6401085" "6421675" "6430553" "6466918" "6489968").PN.	USPAT	2003/11/17 13:03
-	0	(verb with object with (auxiliar adj word)) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/17 13:46
-	161	(verb with object with word) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/17 13:48
-	5	6212494.URPN.	USPAT	2003/11/17 14:21
-	1	"6385621"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 09:24
-	7	("4763356" "5233513" "5291394" "5640577" "5752054" "6148297" "6178418").PN.	USPAT	2003/11/26 08:51
-	103	input\$ adj first adj character	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 09:25
-	89	(input\$ adj first adj character) and (@rlad<=20000106 @ad<=20000106)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 09:26
-	0	(suggested adj verb) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 09:47
-	35	(suggested adj word) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 10:02
-	3	6011542.URPN.	USPAT	2003/11/26 09:50
-	9	("5477240" "5495267" "5734875" "5749082" "5757353" "5812117" "5854641" "5887197" "5889893").PN.	USPAT	2003/11/26 09:50
-	0	(Work adj instruction adj authoring) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 10:02
-	0	(assembly adj instruction adj authoring) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 10:02
-	40	(instruction adj authoring) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 10:08
-	1	(technical adj manual adj authoring) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 10:08
-	1850	(technical adj manual) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 10:09
-	13	((technical adj manual) and (@rlad<=20000106 or @ad<=20000106 or @pd<=20000103)) and authoring	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 13:06
-	13	("5680613" "5708806" "5740425" "5794257" "5799268" "5875441" "5884315" "6085201" "6119136" "6154754" "6182095" "6185587" "6205455").PN.	USPAT	2003/11/26 10:12
-	125	700/116.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 13:12

-	872	700/117.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 13:23
-	69	natural adj language adj generation	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 15:06
-	1	"20020019679"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 11:14
-	6	product adj assembly adj instruction	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:01
-	0	caterpillar.as. and (technical adj document)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:02
-	118	caterpillar.as. and translation	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:47
-	0	Inspice.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:47
-	0	Inspice	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:49
-	0	technical adj document adj author\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 13:50
-	3	technical adj document adj translat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 13:55
-	231	704/4-5.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 13:55
-	172	704/4.ccls. and (@rlad<=20000106 or ad<-20000106)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 13:56
-	231	704/4-5.ccls. and (@rlad<=20000106 or ad<-20000106)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 13:56
-	42	704/4-5.ccls. and (@rlad<=20000106 or @ad<-20000106)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 13:57
-	1	"20020161748"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:23
-	555	partial adj word	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:24
-	13	(partial adj word) and verb and sentence	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/17 14:24
-	9	"6163785"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 14:11